NEROM

TRACKLIGHT



Nerom Maxi - 10138

Tracklight





Track mounted fully adjustable tracklight complete with LED module, reflector and driver











Materials

Housing & reflector made of aluminium, track adaptor made from thermoplastic

Light Source

As standard; CRI80 and CRI90 in 2700, 3000, 4000 and 5000K

Beam Angle

High efficient optic with narrow, medium and wide distribution

Colors

As standard; White, Black and Grey Special RAL colours available on request Different color options for front ring available on request

Warranty

All components are provided with 5 year limited guarantee A qualified electrician must ensure proper installation of the product


Operating Conditions

Designed with best possible shape to provide optimal heat dissipation both on LED and Driver to ensure long lifetime

Installation

Track

Technical Drawing



Ø 113,50

Code	Power - Lumen*	CRI	Kelvin	Beam Angle	Color	Control
10138	18W - 2550lm	80	2700	24°	White	On-Off
		90	3000	34°	Black	Dali
			4000	48°	Grey	Wireless
			5000		Ral	

*Calculated with CRI80 - 4000K

Nerom Midi - 10136

Tracklight





Track mounted fully adjustable tracklight complete with LED module, reflector and driver











Materials

Housing & reflector made of aluminium, track adaptor made from thermoplastic

Light Source

As standard; CRI80 and CRI90 in 2700, 3000, 4000 and 5000K

Beam Angle

High efficient optic with narrow, medium and wide distribution


Colors

As standard; White, Black and Grey Special RAL colours available on request Different color options for front ring available on request

Operating Conditions

Designed with best possible shape to provide optimal heat dissipation both on LED and Driver to ensure long lifetime

Technical Drawing



Ø113,50

Warranty

All components are provided with 5 year limited guarantee A qualified electrician must ensure proper installation of the product

Installation

Track

Code	Power - Lumen*	CRI	Kelvin	Beam Angle	Color	Control
10136	12W - 1700lm	80	2700	24°	White	On-Off
		90	3000	34°	Black	Dali
			4000	48°	Grey	Wireless
			5000		Ral	

*Calculated with CRI80 - 4000K

Nerom Mini - 10134

Tracklight





Track mounted fully adjustable tracklight complete with LED module, reflector and driver











Materials

Housing & reflector made of aluminium, track adaptor made from thermoplastic

Light Source

As standard; CRI80 and CRI90 in 2700, 3000, 4000 and 5000K

Beam Angle

High efficient optic with narrow, medium and wide distribution

Colors

As standard; White, Black and Grey Special RAL colours available on request Different color options for front ring available on request

Warranty

All components are provided with 5 year limited guarantee
A qualified electrician must ensure proper installation of the product


Operating Conditions

Designed with best possible shape to provide optimal heat dissipation both on LED and Driver to ensure long lifetime

Installation

Track

Technical Drawing



Ø 66

Code	Power - Lumen*	CRI	Kelvin	Beam Angle	Color	Control
10134	6W - 850lm	80	2700	24°	White	On-Off
		90	3000	34°	Black	Dali
			4000	48°	Grey	Wireless
			5000		Ral	

*Calculated with CRI80 - 4000K